

Ready to Use

Use on Residential Turf Kills: Poison ivy, Clover, **Ground ivy, Dandelion,** Wild Violet and many other listed weeds

> Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*...... 0.740% Triethylamine Salt of 3, 5, 6-Trichloro-2-Pyridinyloxyacetic Acid**.....0.084% Dimethylamine Salt of Dicamba

(3, 6-Dichloro-o-Anisic Acid)*** ... 0.072%

By Isomer Specific Method, Equivalent to:

ACTIVE INGREDIENTS:

*2-Methyl-4-Chlorophenoxyacetic Acid 0.604%, 0.057 lbs/gal. **3,5,6-Trichloro-2-Pyridinyloxyacetic Acid .. 0.060%, 0.006 lbs/gal. EPA Est. No. 4-NY-1

Keep Out Of Reach Of Children
CAUTION (See Back Booklet for First Ad and
Additional Precautionary Statements) Net Contents 32 FL OZ (946 ML) 71030614

EM609123

SUPER BRUSH & WEED KILLER READY-TO-USE

KILLS BRUSH, BRAMBLES AND WEEDS INCLUDING:

• POISON IVY, POISON OAK, KUDZU, BLACKBERRY, RASPBERRY, SALMONBERRY, WILLOW, VIRGINIA CREEPER, ALDER, ASH, BEECH, TRUMPET CREEPER, VINE MAPLE AND CHOKE CHERRY.

CONTAINS MCPA, TRICLOPYR AND DICAMBA.

BEGINS WORKING OVERNIGHT, RAINPROOF IN HOURS.

Store and transport in an upright position.

EPA Est. No. 4-NY-1 EPA Reg. No. 228-336-3772

Buyers Guarantee limited to label claims. ©Bonide Products, Inc. All Rights Reserved

Distributed by EARL MAY SEED & NURSERY Shenandoah, lowa 51603

Family made in America

Quart



Job 64783

Pu

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS

This product is for use on residential ornamental turf lawns only. The maximum number of applications per treatment site is two (2) per year. Do not apply more than 4 pints of product per 1,000 square feet. Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.

HOW TO USE

Trigger Spray – Adjust spray nozzle to give coarse spray. Aim at center of weed and spray.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. One application should be sufficient. Some hard-to-kill broadleaf weeds may require a second treatment in 3 to 4 weeks.

USE PRECAUTIONS

Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray roots of desirable trees and plants. Maximum kill of weeds will be obtained from spring or early fall applications when weeds are actively growing. Do not use on Carpetgrass, Dichondra, nor on lawns or turf where desirable clovers are present.

Avoid application to Centipede or St. Augustine grasses unless turf injury can be tolerated. Do not apply to newly seeded grasses until they have been mowed 3 times.

Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use.

If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Avoid fine mists. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Shake well before using.

ENTRY RESTRICTIONS

Do not allow people or pets to enter the treated area until sprays have dried

APPLICATION RESTRICTIONS

Avoid contact with eyes, skin, or clothing during and after application. Do not apply this product in a way that will contact persons or pets either directly or through drift. Keep people and pets out of the area during application.

PG₃

WEEDS CONTROLLED

Alder, Alfalfa, Amaranth, Ash, Aster, Beadstraw, Bedstraw, Beech, Beggartick, Beggarweed, Bindweed, Birch, Bitter sneezeweed, Blackberry, Black medic, Bladder campton, Bracken fern, Broomweed, Buckhorn, Buckwheat, Buffalobur, Burclover, Burcucumber, Burdock, Bursage, Buttercup, Canada thistle, Carpetweed, Catnip, Catsear, Chamise, Chamomile, Chickweed, Chicory, Choke cherry, Cinquefoil, Clover, Cocklebur, Coffeeweed, Cornflower, Cornspeedwell, Croton, Daisy, Dandelion, Dock, Dog fennel, Dragonhead mint, Evening primrose, Field pennycress, Fleabane, Florida pusley, Frenchweed, Galinsoga, Geranium, Goatsbeard, Goldenrod, Goosefoot, Gromwell, Ground ivy, Halfshrub sundrop, Hawkweed, Healall, Heartleaf drymary, Hemp sesbania, Hempnettle, Henbit, Horsenettle, Horseweed, Ironweed, Jerusalem artichoke, Jimsonweed, Knapweed, Knapwood, Knawel, Knotweed, Kochia, Kudzu, Ladysthumb, Lambsquarter, Lespedeza, Little starwort, Magnolia, Mallow, Marc's Tail, Marshelder, Matchweed, Mayweed, Milkweed, Morningglory, Mustard, Nightflowering catchfly, Nightshade, Oxalis (Stricta and corniculata), Parsley-piert, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Prickly sida, Prickly lettuce, Puncturevine, Purslane, Ragweed, Raspberry, Red sorrel, Red clover, Redvine, Redstem, Rubberweed, Salmonberry, Sheep sorrel, Shepherdspurse, Sicklepod, Smartweed, Snakeweed, Sowthistle, Speedwell, Spiderwort, Spikeweed, Spurge, Spurry, Spurweed, Starbur, Stinging nettle, Stitchwort, Stinkweed, Sumpweed, Sunflower, Sweetgum, Tansy ragwort, Teasel, Teaweed, Texas blueweed, Thimbleberry, Thistle, Toadflax, Trumpetcreeper, Velvetleaf, Veronica, Vetch, Vine maple, Virginia creeper, Waterhemlock, Waterhemp, Whitebrush, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild violet, Willow, Wood sorrel, Wormwood, Yankeeweed, Yarrow, Yellow starthistle, Yellow rocket and many other broadleaf weeds.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in an area inaccessible to children.

PESTICIDE DISPOSAL: If container is damaged or if pesticide has leaked, contain all spillage, Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate its a violation of Federal law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Recional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities by burning. If burned, stav out of smoke.

FIRST AID	
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear: Long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves made of any waterproof material. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not contaminate water when disposing of equipment washwaters or rinsate.

Triclopyr has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

WARRANTY

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.